G. R. S. 58]

Previous references.

1892-3
191 .
(Dharwar)

File No. 392

Serial Nos.

Later references.

GENERAL AND REVENUE SECRETARIAT.

Serial Nos.

Part B for

SUBJECT.

Repairs to the Mangavathi Hallikar-Jina temple in the Dittakalli Taluk

---

W D 1351—GPB—20,000—13-12-15

(General Serial No. 30).

OFFICE OF THE DEWAN OF MYSORE
3437
14 AUG 1891

189

From

To The Chief Secretary to the Dewan of Mysore

Dated 29th June
Despatched 11/7/91
Received

Enclosures No. 3,

General No. 255
No. 236

Sir

I have the honor to forward herewith for sanction an estimate and a plan received from the Executive Engineer, Shimoga Division for Rs 337-- on account of repairs of Immgavatti Mallikarjuna Temple in Tirthalli Taluk.

The Amildar of Tirthalli reports that the above repairs are indispensably necessa

Myers & Co
13/7/91

AE
14-7-91
8-12-91

2/

The above amount may be met from the balance viz Rs. 501-8-1 at the credit of the said institution under "new Head" on the 31st may 1891.

For Deputy Commr

-10

To

The Dy Commr
Shimoga Dist

Dated 27th Nov/91

No. 9310 Rc
M 299 En. 2

His No. 255 dated 29th June/91 submitting for sanction an estimate for Rs. 337-- for repairing the Arugavathi Mallikarjuna temple in Sheerthahalli Talukh.

— u —

Referring to the above observes as follows:-

(1) The contents of ~~diversion~~ ~~channel~~ water over garbhagudi in Eastern side of

8-12-91

of the new ~~Court fee~~ & Estimate the blue pencil
are 2.5-5/16 c.ft. and
not 38 c.ft. as now
shewn in the estimate

(2) The total cost for
preparing door-
shutters for Garbha
gudi entrance gate
and for front-gate
amounts to Rs. 85/
and not Rs 65/ as
now shewn in the
estimate.

(3) The number of
beams for the side
roof should be 2
and not 21 as now
shewn in the estimate
If it be 21, the contents
will amount to 63 c.ft.
and not 6 c.ft. as now
entered.

(4) The cost of
Chunam pointing
for 9.99 squares
at Rs. 2-10-0 per

plot square is
Rs. 26-2-9 and not
Rs. 8/ as mentioned
in the abstract-
estimate.

2. Under the above
circumstances, the
estimate and the
plan are herewith
returned for necessary
correction and
resubmission to
this office ~~for~~ the
~~an explanation for~~ ~~the~~ ~~delay~~ ~~occurred~~ ~~in~~ ~~submitting~~ ~~the~~ ~~same~~ ~~for~~ ~~sanction~~ ~~by~~ ~~Government~~ ~~as~~ ~~called~~ ~~for~~ ~~by~~ ~~Audit~~ ~~Department~~ ~~by~~ ~~order~~ ~~dated~~ ~~the~~ ~~1st~~ ~~instant~~ ~~and~~ ~~to~~ ~~state~~ ~~whether~~ ~~the~~ ~~plan~~ ~~and~~ ~~estimate~~ ~~are~~ ~~ready~~ ~~for~~ ~~submission~~ ~~to~~ ~~Government~~ ~~by~~ ~~order~~ ~~dated~~ ~~the~~ ~~1st~~ ~~instant~~ nor
date
by order
of
the
Govt
after
any
asked
for

E. V. Under Secy.

(General Serial No. 31).

189/ .

OFFICE OF THE
8425
8 DEC. 91
DEWAN OF MYSORE.
9n383

From

To *The Chief Secretary to the Dewan of Mysore.*

Dated 3rd December 1891.

Despatched

Received

Enclosures No. 2

General No. 660

No. 622

With reference to his
cricket no 9310 dated the
2n299
27th ultimo, has the honor
to resubmit the Estimate
for Rs 351/-, on account of
repairing the Trigamalee
Mallikarjuna Temple in
the Kankally Talug^k^ after
making the necessary
corrections, as requested
in the above.

The total amount
of Estimate is Rs. [illegible]

Rec^d^
8/12/91

8/12/91

Rec^d^
8/12/91

Az
8-12-91

to No 351.

C

[signature]

Für Schaffhausen
Thurgau Zürich

1 Exp.

Read

Dr Asst No 660
622
dated 3rd December 91
from the Dy Commr
Shimoga Dist submitting for sanction
an estimate amounting
to Rs. 351-0-0 for
repairing the Mrugavathi Mallikarjuna
temple in the Sheerthalli Taluk.

No 10381-2/M323 dt 21.12.91 Order thereon
Encl: —

The estimate for
Rs. 351-0-0 is sanctioned, the charge
being met from the
balance of Rs. 501-8-1
available at the
credit of the temple
at the end of May 91
under the head
"Receipts of temples."

2. The work should

should be commenced
at once and completed in a substan-
-tial manner under
the superintendence
of the Amildar who
should be responsible
for the proper execution
of all the repairs and
submit a completion
report in due course.

A1

Murzai Secy.

To The Dy Commr Shimoga
Dist with the saved
estimate & plan.
— " — Comptroller with
a copy of the abstract
estimate & the Treasury
Officer's certificate
C.T.

(General Serial No 30)

189

From

To The Dy Commr
Shimoga Dist
— " — Comptroller. —

Dated 21st
Despatched 22nd Decr/91.
Received

Enclosures No 2

General No 10381-2
In No. 323

Sanctioning an estimate
amounting to Rs 357/- for
repairing the Muregavathi
Mallikarjuna temple
in the Sheerthahalli
Taluk